



# HP Color LaserJet Pro MFP M479fdn (W1A79A)

## Overview



**The HP Color LaserJet Pro MFP M479 -- focus your time on growing business and staying ahead.**

Winning in business means working smarter. The HP Color LaserJet Pro MFP M479 is designed to let you focus your time where it's most effective—growing your business and staying ahead of the competition.

### **Built to keep you—and your business—moving forward**

Scan files directly to Microsoft® SharePoint®, email, USB, and network folders.[1]

### **Best-in-class security--detect and stop attacks[6]**

A suite of embedded security features help protect your MFP from being an entry point for attacks.[6]

### **Simply designed to uncomplicate your day**

Set up this MFP fast, and easily manage device settings to help increase overall printing efficiency.

### **Sustainability is smart business**

Avoid frustrating reprints, wasted supplies, and service calls using Original HP toner cartridges.

## Features

Enhanced workflow

Wi-Fi-Dual band

Enhanced security

Bluetooth® Low-Energy for HP Roam for Business

New user interface

Energy efficient

---

*[1] Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see <http://www.hpconnected.com>*

*[6] Based on HP review of 2019 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit <http://www.hp.com/go/PrintersThatProtect>. For more information: <http://www.hp.com/go/printersecurityclaims>*

## Specifications

<b>Print Resolution Technologies</b>	HP ImageREt 3600, PANTONE® calibrated
<b>Print Resolution Black (best)</b>	600 x 600 dpi, Up to 38,400 x 600 enhanced dpi
<b>Print Resolution Color (best)</b>	600 x 600 dpi, Up to 38,400 x 600 enhanced dpi
<b>Print Speed Black (normal, A4)</b>	Up to 27 ppm
<b>Print Speed Black (normal, letter)</b>	Up to 28 ppm
<b>Print Speed Color (normal, A4)</b>	Up to 27 ppm
<b>Print Speed Color (normal, letter)</b>	Up to 28 ppm
<b>Print Speed</b>	Print speed up to 28 ppm (black) and 28 ppm (color)
<b>Print Margin Bottom (A4)</b>	4.23 mm
<b>Print Margin Left (A4)</b>	4.23 mm
<b>Print Margin Right (A4)</b>	4.23 mm
<b>Print Margin Top (A4)</b>	4.23 mm
<b>AIO Functions</b>	Print, copy, scan, fax, email
<b>Duplex Print Options</b>	Automatic (default)
<b>Duty Cycle (monthly, A4)</b>	Up to 50,000 pages
<b>Duty Cycle (monthly, letter)</b>	Up to 50,000 pages <sup>[12]</sup>
<b>Printer Smart Software Features</b>	Apple AirPrint™, Mopria certified, Google Cloud Print 2.0, HP ePrint, HP Auto-On/Auto-Off Technology, Intuitive 4.3" touchscreen control panel, Scan/print from Cloud using business apps on the control panel, Job Storage with PIN printing, Print from USB, N-up printing, collation
<b>Copier Smart Software Features</b>	Instant-on copy; Duplex copy (2-sided to 2-sided option of “book-style” or “flip style”); up to 999 multiple copies; Scan once print many; Collation; Reduce/enlarge from 25 to 400% (custom page size presets, binding margin, and two pages to one page); Fit to page; Brightness (lighter/darker); Quality (draft/normal/best); ID copy; Enhancements (optimize for content with presets: none, text, photo, mixed); Copy preview (scan glass only)
<b>Scanner Advanced Features</b>	Single-pass 2-sided scanning ADF, Scan to cloud (Google Drive and DropBox) Scan to email with LDAP email address lookup, Scan to network folder, Scan to USB, Scan to Microsoft SharePoint®, Scan to computer with software, Fax archive to network folder, Fax archive to email, Fax to computer, Enable/disable fax, Quick Sets
<b>Fax Smart Software Features</b>	Permanent fax memory backup; Auto fax reduction; Auto redialing; Delayed sending; Fax forwarding; TAM interface; Junk barrier; Distinctive ring detection; Cover page; Block fax; Billing codes; Save and load; Fax activity reports; Dial prefix setting; Print fax log; HP Digital Fax
<b>Energy Savings Feature Technology</b>	HP Auto-On/Auto-Off Technology; Instant-on Technology

## Replacement Cartridges

AMS: For distribution and use in North America and Latin America only: HP 414A Black LaserJet Toner Cartridge (~2,400 pages), W2020A; HP 414A Cyan LaserJet Toner Cartridge (~2,100 pages), W2021A; HP 414A Yellow LaserJet Toner Cartridge (~2,100 pages), W2022A; HP 414A Magenta LaserJet Toner Cartridge (~2,100 pages), W2023A; HP 414x Black LaserJet Toner Cartridge (~7,500 pages), W2020x; HP 414x Cyan LaserJet Toner Cartridge (~6,000 pages), W2021x; HP 414x Yellow LaserJet Toner Cartridge (~6,000 pages), W2022x; HP 414x Magenta LaserJet Toner Cartridge (~6,000 pages), W2023x; EMEA: For distribution and use in Europe, Middle East, Russia, CIS, and Africa only: HP 415A Black LaserJet Toner Cartridge (~2,400 pages), W2030A; HP 415A Cyan LaserJet Toner Cartridge (~2,100 pages), W2031A; HP 415A Yellow LaserJet Toner Cartridge (~2,100 pages), W2032A; HP 415A Magenta LaserJet Toner Cartridge (~2,100 pages), W2033A; HP 415x Black LaserJet Toner Cartridge (~7,500 pages), W2030x; HP 415x Cyan LaserJet Toner Cartridge (~6,000 pages), W2031x; HP 415x Yellow LaserJet Toner Cartridge (~6,000 pages), W2032x; HP 415x Magenta LaserJet Toner Cartridge (~6,000 pages), W2033x; APJ: For distribution and use only in Asia Pacific only: HP 416A Black LaserJet Toner Cartridge (~2,400 pages), W2040A; HP 416A Cyan LaserJet Toner Cartridge (~2,100 pages), W2041A; HP 416A Yellow LaserJet Toner Cartridge (~2,100 pages), W2042A; HP 416A Magenta LaserJet Toner Cartridge (~2,100 pages), W2043A; HP 416x Black LaserJet Toner Cartridge (~7,500 pages), W2040x; HP 416x Cyan LaserJet Toner Cartridge (~6,000 pages), W2041x; HP 416x Yellow LaserJet Toner Cartridge (~6,000 pages), W2042x; HP 416x Magenta LaserJet Toner Cartridge (~6,000 pages), W2043x<sup>[4]</sup>

<b>Supplies Feature</b>	HP JetIntelligence Cartridge
<b>Connectivity, Std</b>	1 Hi-Speed USB 2.0; 1 host USB at rear side; Gigabit Ethernet 10/100/1000BASE-T network; 802.3az(EEE)
<b>Modem</b>	33.6 kbps
<b>Network Capabilities</b>	Yes, via built-in 10/100/1000Base-Tx Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1x
<b>Mobile Printing Capability</b>	HP ePrint; Apple AirPrint™; Mobile Apps; Google Cloud Print™; Mopria™ certified; HP app
<b>Supported Network Protocols</b>	TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, HP ePrint, Apple AirPrint™, Google Cloud Print 2.0, Mopria, IPP Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Router, Stateful via DHCPv6), SSL Security and Certificate management; Management: SNMPv1, SNMPv2, SNMPv3, HTTP/HTTPS, Syslog, FTP FW Download
<b>Software Included</b>	No software solutions are included in the Box, only on <a href="http://hp.com">http://hp.com</a> , <a href="http://123.hp.com/laserjet">http://123.hp.com/laserjet</a>
<b>Compatible Operating Systems</b>	Windows 11; Windows 10; Windows 8; Windows 8.1; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave
<b>Sustainability Specifications</b>	Mercury free
<b>Energy Star Certified</b>	Yes
<b>Ecolabels (fixed)</b>	CECP; Blue Angel; EPEAT® Silver registered; ENERGY STAR® certified
<b>Blue Angel Compliance</b>	Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies
<b>Copy Speed Black (normal A4)</b>	Up to 27 cpm

<b>Copy Speed Color (normal A4)</b>	Up to 27 cpm
<b>Copy Speed Black (normal, letter)</b>	Up to 28 cpm
<b>Copy Speed Color (normal, letter)</b>	Up to 28 cpm
<b>Copy Speed Black Duplex (A4)</b>	Up to 24 cpm
<b>Copy Speed Black Duplex (Letter)</b>	Up to 25 cpm
<b>Digital Sending Standard Features</b>	Scan to email with LDAP email address lookup, Scan to network folder, Scan to USB, Scan to Microsoft SharePoint®, Scan to computer with software, Fax archive to network folder, Fax archive to email, Fax to computer, Enable/disable fax, Quick Sets
<b>Fax Resolution Black (best)</b>	Up to 300 x 300 dpi (halftone enabled)
<b>Fax</b>	Yes
<b>Scan Speed (normal, A4)</b>	Up to 29 ppm/46 ipm (b&w), up to 20 ppm/34 ipm (color)
<b>Scan Speed (normal, letter)</b>	Up to 31 ppm/49 ipm (b&w), up to 21 ppm/36 ipm (color)
<b>Scan File Format</b>	PDF; JPG; TIFF
<b>Scan Input Modes</b>	Front-panel scan, copy, email, or file buttons; HP Scan software; and user application via TWAIN or WIA
<b>Scan Technology</b>	Contact Image Sensor (CIS)
<b>Scan Type</b>	Flatbed, ADF
<b>Display Area (imperial)</b>	3.74 x 2.12 in
<b>Display Area (metric)</b>	95.04 x 53.86 mm
<b>Display Description</b>	4.3" intuitive touchscreen Color Graphic Display (CGD)
<b>Product Dimensions (metric)</b>	416 x 472 x 400 mm
<b>Product Dimensions (imperial)</b>	16.4 x 18.6 x 15.7 in
<b>Weight (metric)</b>	23.4 kg
<b>Weight (imperial)</b>	51.6
<b>Power Consumption Description</b>	550 watts (Active Printing), 20 watts (Ready), 0.7 watts (Sleep), 0.7 watts (HP auto-off/auto-on), 0.06 watts (auto-off/manual on), 0.06 watts (Off) <sup>[3]</sup>
<b>Power Supply Type</b>	Internal (Built-in) power supply
<b>What Is In The Box</b>	HP Color LaserJet Pro M479fdn; 4 preinstalled HP LaserJet Toner cartridges (Black~2400 pages, Introductory-Cyan, Magenta, Yellow: ~1200 pages); In-box documentation (Getting Started Guide, Install Poster); warranty card (Where required); Internet connection is required to set up the printer. HP printer software is available at <a href="http://www.hp.com/support">http://www.hp.com/support</a> ; Power cord <sup>[2]</sup>
<b>Manufacturer Warranty</b>	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to <a href="http://hp.com/support">hp.com/support</a> to learn about HP award winning service and support options in your region. (wty code 4G; wty ID A001)

## Additional specifications

<b>Accessories</b>	HP LaserJet 550-sheet Paper Feeder CF404A; HP v222w 16 GB Mini USB Drive POR81AA
<b>Acoustic Power Emissions (active scan)</b>	6.3 B(A)
<b>Acoustic Power Emissions (active, printing)</b>	6.3 B(A)
<b>Acoustic Power Emissions (ready)</b>	3.4 B(A)
<b>Acoustic Pressure Emissions Bystander (active scan)</b>	48 dB(A)
<b>Acoustic Pressure Emissions Bystander (active, printing)</b>	49 dB(A)
<b>Acoustic Pressure Emissions Bystander (ready)</b>	14 dB(A)
<b>Auto Document Feeder Capacity</b>	Standard, 50 sheets uncurled
<b>Auto Fax Reduction Supported</b>	Yes
<b>Automatic Paper Sensor</b>	No
<b>Bit Depth</b>	30-bit
<b>Business Filter</b>	cMPS
<b>Cartons Per Layer</b>	4
<b>Certifications and Compliances</b>	CSA (Canada), ANZ (Australia & New Zealand), TUV and GS Mark (Germany), BSMI (Taiwan), CCC (China), KC & KCC (South Korea), NOM (Mexico), Malaysia, Singapore, Chile, Vietnam, Eastern European approvals, CE Marking, FCC approval, BIS(India), S-Mark(Argentina), UL listed and etc.
<b>Color Scanning</b>	Yes
<b>Color or Black (filter)</b>	Color
<b>Compatible Network Operating Systems</b>	Windows 11; Windows Server; Linux; Citrix; UNIX; Novell
<b>Component Type</b>	Printer
<b>Connection Type</b>	Wireless
<b>Control Panel</b>	4.3-in intuitive color touchscreen (CGD); 3 Buttons (Home, Help, Back)
<b>Copier Reduce/enlarge</b>	25 to 400%
<b>Copier Scaling (ADF)</b>	25 to 400%
<b>Copier Settings</b>	ID Copy; Number of copies; Resize (including 2-Up); Lighter/Darker; Enhancements; Original Size; Binding Margin; Collation; Tray Selection; Two-Sided; Quality (Draft/Normal/Best); Save Current Settings; Restore Factory Defaults
<b>Copy Resolution, Black Text</b>	Up to 600 x 600 dpi

<b>Copy Resolution, Color Text and Graphics</b>	Up to 600 x 600 dpi
<b>Copy Speed Color Duplex (A4)</b>	Up to 24 cpm
<b>Copy Speed Color Duplex (Letter)</b>	Up to 25 cpm
<b>Count of Layers In Pallet</b>	5 (NA), 4 (EMEA/APJ)
<b>Distinctive Ring Detection Supported</b>	Yes
<b>Downloadable Software</b>	<p>From <a href="http://123.hp.com">http://123.hp.com</a>; HP Easy Start (Guided Software Install for Windows and Mac); From <a href="http://hp.com">http://hp.com</a> for Windows OS; Fullsolution software and drivers; Basicsolution software and drivers; HP PCL6 xPS Discrete Print Driver; Product Documentation and Support; From <a href="http://hp.com">http://hp.com</a> for Mac OS; HP Easy Start (Guided Software Install); HP Mac PS Print Driver; HP Easy Admin; For Mobile OS; iOS For more information see <a href="http://hp.com/go/businessmobileprinting">http://hp.com/go/businessmobileprinting</a>; Android For more information see <a href="http://hp.com/go/businessmobileprinting">http://hp.com/go/businessmobileprinting</a>; From <a href="http://hp.com">http://hp.com</a> for printer administrators; Printer Administrator Resource Kit (Driver Configuration Utility Driver Deployment Utility Managed Printing Administrator); HP Universal Print Drivers PCL6 GDI &amp; PS GDI for Windows; HP ePrint Software (Mobile Driver for Windows); SAP Print Drivers for more information see <a href="http://support.hp.com/usen/document/c05051702">http://support.hp.com/usen/document/c05051702</a>; HP Web JetAdmin; HP JetAdvantage Security Manager; HPLIP Linux Printer Driver for more information see <a href="http://hplipopensource.com/hplipweb/index.html">http://hplipopensource.com/hplipweb/index.html</a>; Unix Model Script Printer Driver for more information see <a href="http://hp.com/go/unixmodelscripts">http://hp.com/go/unixmodelscripts</a>; ReadIris</p>
<b>Driver Updates</b>	Software driver and Hardware Firmware is located at <a href="http://www.hp.com/support/colorljm479mfp">www.hp.com/support/colorljm479mfp</a>
<b>Duplex ADF Scanning</b>	Yes
<b>Duty Cycle Note</b>	Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
<b>Dynamic security</b>	Dynamic security enabled printer
<b>Electromagnetic Emission Standard</b>	CISPR 32:2012/EN 55032:2012 - Class B, CISPR 32:2015/EN 55032:2015 - Class B, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010+A1:2015, FCC Title 47 CFR, Part 15 Class B / ICES-003, Issue 6
<b>Engine life</b>	50,000
<b>Envelope Feeder</b>	No
<b>Fax Auto-redialing</b>	Yes
<b>Fax Broadcasting, Max Locations</b>	119
<b>Fax Delayed Sending</b>	Yes
<b>Fax Forwarding Supported</b>	Yes
<b>Fax Memory (A4)</b>	Up to 400 pages
<b>Fax Memory (letter)</b>	Up to 400 pages

<b>Fax Phone TAM Interface Supported</b>	Yes
<b>Fax Polling Supported</b>	Yes (receive only)
<b>Fax Resolution Black (standard)</b>	203 x 96 dpi
<b>Fax Resolution Black Photo Grayscale</b>	300 x 300 dpi (halftone)
<b>Fax Resolution Black and White (fine)</b>	Up to 203 x 196 dpi
<b>Fax Resolution Black and White (superfine)</b>	Up to 300 x 300 dpi (no halftone)
<b>Fax Speed</b>	33.6 kbps
<b>Fax Speed (letter)</b>	3 sec per page <sup>[17]</sup>
<b>Fax Speed Dialing, Max Numbers</b>	Up to 120 numbers
<b>Fax Telephone Mode Supported</b>	Yes
<b>First Copy Out Black (A4)</b>	As fast as 9.5 sec
<b>First Copy Out Black (A4, sleep)</b>	As fast as 11.0 sec
<b>First Copy Out Black (letter)</b>	As fast as 9.3 sec
<b>First Copy Out Black (letter, sleep)</b>	As fast as 10.9 sec
<b>First Copy Out Color (A4)</b>	As fast as 11.1 sec
<b>First Copy Out Color (A4, sleep)</b>	As fast as 12.1 sec
<b>First Copy Out Color (letter)</b>	As fast as 12.1 sec
<b>First Copy Out Color (letter, sleep)</b>	As fast as 12.0 sec
<b>First Page Out Black (A4, ready)</b>	As fast as 9.5 sec
<b>First Page Out Black (A4, sleep)</b>	As fast as 11.0 sec
<b>First Page Out Black (letter, ready)</b>	As fast as 9.3 sec
<b>First Page Out Black (letter, sleep)</b>	As fast as 10.9 sec
<b>First Page Out Color (A4, ready)</b>	As fast as 11.0 sec
<b>First Page Out Color (A4, sleep)</b>	As fast as 12.1 sec
<b>First Page Out Color (letter, ready)</b>	As fast as 10.9 sec

<b>First Page Out Color (letter, sleep)</b>	As fast as 12.0 sec
<b>Fonts and Typefaces</b>	84 scalable TrueType fonts
<b>Grayscale Levels</b>	256
<b>In Box Cable</b>	Yes, 1 USB cable (AP only); No, please purchase USB cable separately (Americas, EMEA); Yes, fax cable
<b>Input Capacity, Max</b>	Up to 850 sheets (with Optional 550-sheet tray)
<b>Input Capacity, Max, Envelopes</b>	Up to 15 envelopes
<b>Input Capacity, Std</b>	Up to 300 sheets
<b>Junk Barrier Supported</b>	Yes, CSID matching only (Caller ID not supported)
<b>Key Media Sizes Supported (imperial)</b>	4 x 6 in; Letter; Legal; Envelopes
<b>Key Media Sizes Supported (metric)</b>	10 x 15 cm; A4; Envelopes
<b>Mac Compatible</b>	Yes
<b>Max Dimensions (imperial)</b>	16.8 x 25.7 x 16.3 in
<b>Max Dimensions (metric)</b>	426 x 652 x 414 mm
<b>Max Number Of Copies</b>	Up to 999 copies
<b>Maximum Memory</b>	512 MB NAND Flash, 512 MB DRAM
<b>Media Handling, Document Finishing</b>	Sheetfeed
<b>Media Size, ADF</b>	Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm
<b>Media Size, Tray 1 (metric)</b>	A4, A5, A6, B5 (JIS), B6 (JIS), 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm), 10 x 15 cm, Oficio (216 x 340 mm), postcards (JIS single, JIS double), envelopes (DL, C5, B5)
<b>Media Size, Tray 2 (metric)</b>	A4, A5, A6, B5 (JIS), B6 (JIS), 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm), 10 x 15 cm, Oficio (216 x 340 mm), postcards (JIS single, JIS double), envelopes (DL, C5, B5)
<b>Media Size, Tray 3 (metric)</b>	A4; A5; A6; B5 (JIS); B6 (JIS); 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); postcards (JIS single, JIS double)
<b>Media Sizes Custom (imperial)</b>	Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2, optional Tray 3: 3.94 x 5.83 to 8.5 x 14 in
<b>Media Sizes Custom (metric)</b>	Tray 1: 76 x 127 to 216 x 356 mm; Tray 2, optional Tray 3: 100 x 148 to 216 x 356 mm
<b>Media Type and Capacity ADF</b>	Sheets: 50 uncurled
<b>Media Type and Capacity Tray 1</b>	Sheets: 50; envelopes: 5
<b>Media Type and Capacity Tray 2</b>	Sheets: 250; envelopes: 10
<b>Media Type and Capacity Tray 3</b>	Sheets: 550

<b>Media Types</b>	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes
<b>Media Weights Supported, ADF (imperial)</b>	16 to 32 lb
<b>Media Weights Supported, ADF (metric)</b>	60 to 120 g/m <sup>2</sup>
<b>Media Weights Supported, By Paper Path (Imperial)</b>	Tray 1: 16 to 47 lb bond (up to 52 lb with HP Color laser glossy photo papers); Tray 2: 16 to 43 lb bond (up to 47 lb with postcards, up to 52 lb with HP Color laser glossy photo papers); optional Tray 3: 16 to 43 lb bond (up to 47 lb with postcards, up to 40 lb with HP Color laser glossy photo papers); Automatic duplexer: 16 to 43 lb bond
<b>Media Weights Supported, By Paper Path (metric)</b>	Tray 1: 60 to 176 g/m <sup>2</sup> (up to 200 g/m <sup>2</sup> with postcards and HP Color laser glossy photo papers); Tray 2: 60 to 163 g/m <sup>2</sup> (up to 176 g/m <sup>2</sup> with postcards, up to 200 g/m <sup>2</sup> HP Color laser glossy photo papers); optional Tray 3: 60 to 163 g/m <sup>2</sup> (up to 176 g/m <sup>2</sup> with postcards, up to 150 g/m <sup>2</sup> Glossy media); Automatic duplexer: 60 to 163 g/m <sup>2</sup>
<b>Model Number</b>	M479fdn
<b>Native Scan File Format</b>	PDF; JPG
<b>Number of Simultaneous Users (local + network)</b>	3-10 Users
<b>Operating Humidity Range</b>	10 to 80% RH (non-condensing)
<b>Operating Humidity Range (recommended)</b>	30 to 70% RH (non-condensing)
<b>Operating Temperature Range (celsius)</b>	10 to 32.5°C
<b>Operating Temperature Range (fahrenheit)</b>	50 to 90.5°F
<b>Operating Temperature Range (recommended celsius)</b>	15 to 27°C
<b>Operating Temperature Range (recommended fahrenheit)</b>	59 to 80.6°F
<b>Output Capacity, Max</b>	Up to 150 sheets
<b>Output Capacity, Std</b>	Up to 150 sheets
<b>Output Capacity, Std, Envelopes</b>	Up to 20 envelopes
<b>PC Interface Supported</b>	Yes, only for sending
<b>Package Dimensions (imperial)</b>	23.50 x 19.57 x 19.29 in
<b>Package Dimensions (metric)</b>	597 x 497 x 490 mm
<b>Package Weight (imperial)</b>	58.9 lb
<b>Package Weight (metric)</b>	26.7 kg
<b>Page Yield (set-up/inbox cartridges)</b>	~2400 pages black and ~1200 pages cyan, yellow and magenta
<b>Pallet Dimensions (imperial)</b>	47.2 x 39.4 x 102.4 in (NA), 47.2 x 39.4 x 83.1 in (EMEA/APJ)

<b>Pallet Dimensions (metric)</b>	1200 x 1000 x 2601 mm (NA), 1200 x 1000 x 2111 mm (EMEA/APJ)
<b>Pallet Weight (imperial)</b>	1224.0 lb (NA), 988.3 lb (EMEA/NA)
<b>Pallet Weight (metric)</b>	555.2 kg (NA), 448.3 kg (EMEA/APJ)
<b>Paper Handling Optional/input</b>	Optional 550-sheet tray
<b>Paper Handling Standard/input</b>	50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF)
<b>Paper Handling Standard/output</b>	150-sheet output bin
<b>Paper Trays, Maximum</b>	3
<b>Paper Trays, Standard</b>	2
<b>Power Supply Required</b>	110-volt input voltage: 110 to 127 VAC (+/- 10%), 60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz) (Not dual voltage, power supply varies by part number with # Option code identifier). Not dual voltage, power supply varies by part number with # Option code identifier.
<b>Print Cartridges/Bottle, Number</b>	4 (1 each black, cyan, magenta, yellow)
<b>Print Colors</b>	Yes
<b>Print Languages, Standard</b>	HP PCL 6, HP PCL 5e, HP postscript level 3 emulation, PDF, URF, Native Office, PWG Raster
<b>Print Resolution Black (normal)</b>	600 x 600 dpi, Up to 38,400 x 600 enhanced dpi
<b>Print Resolution Color (normal)</b>	600 x 600 dpi, Up to 38,400 x 600 enhanced dpi
<b>Print Speed Black (Landscape, A5)</b>	Up to 49 ppm
<b>Print Speed Black (Portrait, A5)</b>	Up to 7 ppm
<b>Print Speed Black Duplex (A4)</b>	Up to 24 ipm
<b>Print Speed Black Duplex (Letter)</b>	Up to 25 ipm
<b>Print Speed Color (Landscape, A5)</b>	Up to 49 ppm
<b>Print Speed Color (Portrait, A5)</b>	Up to 7 ppm
<b>Print Speed Color Duplex (A4)</b>	Up to 24 ipm
<b>Print Speed Color Duplex (Letter)</b>	Up to 25 ipm
<b>Print Speed Footnote Number (A5)</b>	[10]
<b>Print Technology</b>	Laser
<b>Printer Black Pages (MPV Black)</b>	750

<b>Printer Color Pages (MPV Color)</b>	500
<b>Printer Management</b>	HP Printer Assistant; HP Utility (Mac); HP Device Toolbox; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)
<b>Processor Speed</b>	1200 MHz
<b>Product Long Name Specifications</b>	HP Color LaserJet Pro MFP M479fdn, Color Printer for Business, Print, copy, scan, fax, email, Scan to email/PDF; Two-sided printing; 50-sheet uncurled ADF
<b>Product Short Name Specifications</b>	HP LaserJet Pro M479fdn Wireless Multifunction Color Printer, Copier, Scanner; Duplex
<b>Product-specific Additional Information Pointer</b>	<a href="http://h20564.www2.hp.com/hpsc/doc/public/display?docId=bpr01485&amp;DocLang=en&amp;docLocale=en_US&amp;jumpid=reg_r1002_inen_c-001_title_r0002">http://h20564.www2.hp.com/hpsc/doc/public/display?docId=bpr01485&amp;DocLang=en&amp;docLocale=en_US&amp;jumpid=reg_r1002_inen_c-001_title_r0002</a>
<b>Quantity Per Pallet</b>	20 (NA), 16 (EMEA/APJ)
<b>RMN Number</b>	BOISB-1811-01
<b>Recommended Media Weight (duplex, imperial)</b>	16 to 43 lb bond
<b>Recommended Media Weight (duplex, metric)</b>	60 to 163 g/m <sup>2</sup>
<b>Recommended Monthly Page Volume</b>	750 to 4000 <sup>[13]</sup>
<b>Recommended Monthly Scan Volume</b>	750 to 4000
<b>Safety Approvals and Requirements</b>	IEC 60950-1:2005 +A1:2009+A2:2013/EN 60950-1:2006 +A11:2009+A1:2010+A12:2011+A2:2013; IEC 60825-1:2014/EN 60825-1:2014 (Class 1 Laser/LED Product); IEC 62479:2010/EN 62479:2010
<b>Scan Resolution, Enhanced</b>	Up to 1200 x 1200 dpi
<b>Scan Resolution, Hardware</b>	Up to 1200 x 1200 dpi
<b>Scan Resolution, Optical</b>	Up to 1200 x 1200 dpi
<b>Scan Size Maximum (ADF, Imperial)</b>	8.5 x 14 in
<b>Scan Size Maximum (ADF, metric)</b>	216 x 356 mm
<b>Scan Size Maximum (flatbed, imperial)</b>	8.5 x 11.7 in
<b>Scan Size Maximum (flatbed, metric)</b>	216 x 297 mm
<b>Scan Size Minimum (ADF, imperial)</b>	4 x 6 in
<b>Scan Size Minimum (ADF, metric)</b>	102 x 152 mm
<b>Scan Speed Duplex (normal, A4)</b>	Up to 46 ipm (b&w), up to 34 ipm (color)

<b>Scan Speed Duplex (normal, letter)</b>	Up to 49 ipm (b&w), up to 36 ipm (color)
<b>Security Management</b>	Secure Boot, Secure Firmware Integrity, Runtime Code Integrity, password protected EWS, secure browsing via SSL/TLS 1.0, TLS 1.1, TLS 1.2; IPP over TLS; Network: enable/disable network ports and features, unused protocol and service disablement, SNMPv1, SNMPv2, and SNMPv3, community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; LDAP authentication and authorization; Firewall and ACL; control panel lock, certificates configuration, UPD PIN printing, Syslog, signed firmware, administrator settings, access control, 802.1x authentication (EAP-TLS, and PEAP); Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage, compatible with optional HP JetAdvantage Security Manager
<b>Sensor Resolution</b>	1200 x 1200 dpi optical
<b>Software Scan File Format</b>	Windows HP Scan SW supports PDF, searchable PDF, JPG, RTF, TxT, BMP, PNG, TIFF. Mac HP Easy Scan SW supports PDF, searchable PDF, JPG, RTF, TxT, JPG-2000, PNG, TIFF;
<b>Standard Media Sizes (duplex, Imperial)</b>	Letter; Legal; Executive; Folio
<b>Standard Media Sizes (duplex, metric)</b>	A4; 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); Oficio
<b>Standard Media Sizes Supported (imperial)</b>	Tray 1, Tray 2: Letter, legal, executive, Oficio (8.5 x 13 in), 4 x 6 in, 5 x 8 in, envelopes (No 10, Monarch); Optional Tray 3: Letter, legal, executive, Oficio (8.5 x 13 in), 4 x 6 in, 5 x 8 in; Automatic duplexer: Letter, legal, executive, Oficio (8.5 x 13 in)
<b>Standard Media Sizes Supported (metric)</b>	Tray 1, Tray 2: A4; A5; A6; B5 (JIS); B6 (JIS); 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); postcards (JIS single, JIS double); envelopes (DL, C5, B5); Optional Tray 3: A4; A5; A6; B5 (JIS); B6 (JIS); 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); postcards (JIS single, JIS double); Automatic duplexer: A4; B5; 16K (195 x 270 mm, 184 x 260 mm; 197 x 273 mm); Oficio (216 x 340 mm)
<b>Standard Memory</b>	512 MB NAND Flash, 512 MB DRAM
<b>Storage Device and Direct Print Support</b>	USB Printing
<b>Storage Temperature Range (celsius)</b>	-20 to 40°C
<b>Storage Temperature Range (fahrenheit)</b>	-4 to 104°F
<b>System Requirements, Macintosh, Minimum</b>	2 GB available hard drive space, Internet connection or USB port, OS hardware requirements see apple.com
<b>System Requirements, Minimum</b>	2 GB available hard disk space, Internet connection, USB port, Internet browser. For additional OS hardware requirements see microsoft.com
<b>Target Number of Users and Print Volume</b>	For teams up to 10 users; Prints up to 4,000 pages/month
<b>Tariff Numbers</b>	8443310000
<b>Technology</b>	Laser
<b>Telecom Compliance Certifications</b>	Fax Telecom: ETSI ES 203 021; FCC Rules and Regulations 47 CFR Part 68; Other Telecom approvals as required by individual countries.

<b>Top Key Features</b>	Scan to email/PDF; Two-sided printing; 50-sheet uncurled ADF
<b>Twain Version</b>	Version 2.3
<b>Typical Electricity Consumption (TEC) number</b>	1.084 kWh/Week (Blue Angel); 0.358 kWh/Week (Energy Star 3.0) <sup>[15]</sup>
<b>UNSPSC Code</b>	43212110
<b>UPC Number</b>	(ABT) 192018996731; (ABY) 192018996748; (ACQ) 192018996755; (B13) 192018996762; (B19) 192018996779; (BAZ) 192018996786; (BGJ) 192018996793
<b>Warm-up Time</b>	As fast as 45 sec

---

*[2] In box cartridges yield ~1,200 color composite (C/Y/M) and ~2,400 black pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see: <http://www.hp.com/go/learnaboutsupplies> . Pages may vary based on customer printing conditions.*

*[3] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115 V device.*

*[4] Toner cartridges designed for distribution and use within a designated region only; will not work outside of designated region.*

*[12] Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.*

*[13] HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period*

*[15] BA TEC is equal to Best TEC. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.*

---

# Accessories

## Paper Handling

★ : Recommended

### Input Trays

HP LaserJet 550-sheet Feeder Tray	CF404A ★
-----------------------------------	----------

## Services

### Document & Printing

★ : Recommended

#### Support Services (for Document & Printing)

HP 1 year Post Warranty 4 hour 9x5 Service for Color LaserJet Pro MFP M479	UB9T6PE
HP 1 year Post Warranty Next Business Day Service for Color LaserJet Pro MFP M479	UB9T5PE
HP 1 year Post Warranty Parts Exchange SVC for Color LaserJet Pro MFP M479	UB9T7PE
HP 3 year 4 hour 9x5 Service for Color LaserJet Pro MFP M479	UB9S9E
HP 3 year Next Business Day Service for Color LaserJet Pro MFP M479	UB9S6E
HP 3 year Parts Exchange Service for Color LaserJet Pro MFP M479	UB9T2E
HP 4 year 4 hour 9x5 Service for Color LaserJet Pro MFP M479	UB9T0E
HP 4 year Next Business Day Service for Color LaserJet Pro MFP M479	UB9S7E
HP 4 year Parts Exchange Service for Color LaserJet Pro MFP M479	UB9T3E
HP 5 year 4 hour 9x5 Service for Color LaserJet Pro MFP M479	UB9T1E
HP 5 year Next Business Day Service for Color LaserJet Pro MFP M479	UB9S8E
HP 5 year Parts Exchange Service for Color LaserJet Pro MFP M479	UB9T4E
HP Installation Service with network configuration for Personal Scanner and Printer (1 unit)	U9JT1E

### HP Laser Toner Cartridges and Kits

★ : Recommended

#### HP Color Laser Toner Printer Cartridges

HP 414A Black Original LaserJet Toner Cartridge	W2020A
HP 414A Cyan Original LaserJet Toner Cartridge	W2021A
HP 414A Magenta Original LaserJet Toner Cartridge	W2023A
HP 414A Yellow Original LaserJet Toner Cartridge	W2022A
HP 414X High Yield Black Original LaserJet Toner Cartridge	W2020X
HP 414X High Yield Cyan Original LaserJet Toner Cartridge	W2021X
HP 414X High Yield Magenta Original LaserJet Toner Cartridge	W2023X
HP 414X High Yield Yellow Original LaserJet Toner Cartridge	W2022X
HP 415A Black Original LaserJet Toner Cartridge	W2030A
HP 415A Cyan Original LaserJet Toner Cartridge	W2031A
HP 415A Magenta Original LaserJet Toner Cartridge	W2033A
HP 415A Yellow Original LaserJet Toner Cartridge	W2032A
HP 415X High Yield Black Original LaserJet Toner Cartridge	W2030X
HP 415X High Yield Cyan Original LaserJet Toner Cartridge	W2031X
HP 415X High Yield Magenta Original LaserJet Toner Cartridge	W2033X
HP 415X High Yield Yellow Original LaserJet Toner Cartridge	W2032X
HP 416A Black Original LaserJet Toner Cartridge	W2040A
HP 416A Cyan Original LaserJet Toner Cartridge	W2041A
HP 416A Magenta Original LaserJet Toner Cartridge	W2043A
HP 416A Yellow Original LaserJet Toner Cartridge	W2042A
HP 416X High Yield Black Original LaserJet Toner Cartridge	W2040X
HP 416X High Yield Cyan Original LaserJet Toner Cartridge	W2041X
HP 416X High Yield Magenta Original LaserJet Toner Cartridge	W2043X
HP 416X High Yield Yellow Original LaserJet Toner Cartridge	W2042X
HP W2040XC High Yield Black Contract Original LaserJet Toner Cartridge	W2040XC
HP W2041XC High Yield Cyan Contract Original LaserJet Toner Cartridge	W2041XC
HP W2042XC High Yield Yellow Contract Original LaserJet Toner Cartridge	W2042XC
HP W2043XC High Yield Magenta Contract Original LaserJet Toner Cartridge	W2043XC

### HP Business Papers

#### HP Business Papers for laser

HP Enhanced Business Paper Glossy 150 g/m2 A4 (210 x 297 mm) 150 sheets	CG965A
HP Everyday Business Paper Glossy 32 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets	4WN08A
HP Professional Business Paper Glossy 200 g/m2 A4 (210 x 297 mm) 150 sheets	7MV83A
HP Professional Business Paper Glossy 52 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets	4WN10A
HP Professional Business Paper Matte 200 g/m2 A4 (210 x 297 mm) 150 sheets	7MV80A
HP Professional Business Paper Matte 52 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets	4WN05A

## HP Home & Office Papers

### HP Home & Office Papers for laser and inkjet

HP MultiPurpose20TM 20 lb 11 x 17 in. (279 x 432 mm) 250 sheets	HPM1720P
HP MultiPurpose20TM 20 lb 8.5 x 11 in. (216 x 279 mm) 500 sheets	HPM1120R
HP MultiPurpose20TM 20 lb 8.5 x 14 in. (216 x 356 mm) 500 sheets	HPM1420P

## HP Paper for Multiple Uses

### HP Recycled Paper

HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in	4WN07A
---	--------

## HP Paper Designed for Inkjet Printers

### HP Inkjet Photo Paper

HP Professional Business Paper Glossy 48 lb 8.5 x 11 in. (216 x 279 mm) 50 sheets	6MF93A
---	--------

## Solutions

### HP Document and Workflow Solutions Overview

★ : Recommended

#### HP Document and Workflow Solutions Mobile Printing

HP Roam for Business

HPROAM

---

## Disclaimer — Copyright

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – May 22, 2026 3:26 AM UTC+0000